

ELECTRIC FIREBOXES

Endless Opportunities. Perfect Comfort.



BLF Series

Features



Flame

A blend of technology, artistry and craftsmanship – the patented Dimplex LED flame technology creates the illusion of a true fire.



Viewing Area

Enjoy the panoramic flame through the industry's largest viewing area.



Media Bed

Tumbled glass ember bed pieces that are colored and silvered on one side for an alluring effect.





Includes a powerful fan-forced heater designed to keep the rooms you spend the most time in warm and comfortable.



Remote

Includes a convenient remote control.



Seamless Installation

Can be recessed with direct-wire for a seamless look, or simply hung on the wall.



Warranty

2-year limited warranty.





BLF50

120 Volts | 1,230 Watts | 4,198 BTU 50¹/₄" x 19¹/₂" x 7" (WxHxD) 127.6 cm x 49.5 cm x 17.8 cm



BLF7451 NEW! 120 Volts | 1,230 Watts | 4,198 BTU 240 Volts | 2,430 Watts | 8,290 BTU 74¹/₄" x 19¹/₂" x 7¹/₂" (WxHxD) 188.6 cm x 49.5 cm x 17.8 cm



Enhanced Features



Media Bed

Diamond-like acrylic ice ember bed chunks sparkle with the reflected light.



Color Themes

Choose from brilliant color themes or cycle through a range of colors using the Prism mode, freezing on the hue of your choice.



Thermostat-controlled Heater

Includes a powerful fan-forced heater designed to keep the rooms you spend the most time in warm and comfortable. Reduce your central furnace temperature and cut your heating costs!



Multi-function Remote

Adjust the thermostat and appearance settings from the comfort of your chair.




Floating LED Display

Floating LED Display
View temperature settings and specialty functions such as sleep timer and color themes.



...IS NOW EVEN BETTER.



Beauty, simplicity and safety: it's a combination that makes Dimplex® fireboxes a great choice for any space.

Refined through 15 years of innovation, the patented Dimplex flame effect is the most authentic in the industry. While looking every bit as good as masonry fireplaces, Dimplex electric fireboxes provide unmatched flexibility and ease of installation as venting or gas lines are not required.

- A smart, practical and efficient zone heating solution, designed to warm up to 1,000 square feet.
- Choose from our wide selection of easy-to-install plug-in and direct-wired fireboxes.
- Can be installed in virtually any location.
- Several design options to choose from including cabinet surrounds, door and trim kits.



Features



Customizable Flame Effect

Choose wood or gas flames, plus color effects



Comfort\$aver™ Heating System

Safe ceramic heat, plus 11% energy savings, warms up to 1,000 sq. ft.



(Alla) gWave™

Brings the fireplace to life with a wave of a hand



Floating Display[™]

LED display shows temperature setting, themes and functions



Realogs™

The look of a stacked hardwood fire paired with LED inner-glow technology



Eco Mode

Reduces energy use by 33%; limits heat to 750W



Heat Boost

Delivers timed maximum heat output





PF2325HL | 25" Multi-Fire XD™ Firebox - logs 26" x 18¹/4" x 9³/8" (WxHxD) 66 cm x 46.4 cm x 23.8 cm 120 V | 1,500 W | 5,118 BTU



PF2325HG | 25" Multi-Fire XD™ Firebox - Acrylic Ice

PF2325CG | 25" Multi-Fire XD™ Firebox - Acrylic Ice with curved glass front 26" x 18¹/₄" x 9³/₅" (WxHxD) 66 cm x 46.4 cm x 23.8 cm 120 V | 1,500 W | 5,118 BTU



PF3033HL | 33" Multi-Fire XD™ Firebox - logs 33¹/8" x 23³/8" x 9¹/4" (WxHxD) 84.1 cm x 59.3 cm x 23.5 cm 120 V | 1,500 W | 5,118 BTU



PF3033HG | 33" Multi-Fire XD™ Firebox - Acrylic Ice 33¹/8" x 23³/8" x 9¹/4" (WxHxD) 84.1 cm x 59.3 cm x 23.5 cm 120 V | 1,500 W | 5,118 BTU

Plug-in Firebox Features



Flame

A blend of technology, artistry and craftsmanship – the patented Dimplex flame technology creates the illusion of a true fire.



Supplemental Heat

Includes a powerful fan-forced heater designed to keep the rooms you spend the most time in warm and comfortable.



Year-round Enjoyment

Enjoy the ambiance of the flame with or without heat for year-round enjoyment.



Safe

Front glass stays cool, making it safe to touch.



Economical

Economical to operate. Costing only pennies per hour.*



Green

The green alternative. No harmful particulates or emissions and 100% efficient.



Remote

Includes a convenient remote control for ease of use at your fingertips.



Quick Assembly

Sets up in minutes with step-by-step assembly instructions.



Instant Ambiance

Plugs into any standard household outlet.

Specialty Features



Ember Bed Options

Choose from logs molded from actual wood for incredible realism, or crystal ember bed for a contemporary alluring effect.



On-screen Display

View temperature settings and functions easily on the LED display.

Plug-in Fireboxes



DF2024L

20" firebox with logs

21⁷/₈"x 22¹/₈" x 6⁷/₈" (WxHxD) 55.6 cm x 56.2 cm x 17.5 cm 120 V | 1,400 W | 4,777 BTU

- 70 On-screen display
- Thermostat-controlled heater



DF2024CR

20" firebox with fixed crystals

217/8" x 221/8" x 67/8" (WxHxD) 55.6 cm x 56.2 cm x 17.5 cm 120 V | 1,400 W | 4,777 BTU

- **™** On-screen display
- Thermostatcontrolled heater



25" landscape firebox DF2550 | Logs DFG2562 | Glass

26" x 187/8" x 87/8" (WxHxD) 66 cm x 47.9 cm x 22.4 cm 120 V | 800 W | 3,000 BTU

- **Ember bed options**
- Thermostatcontrolled heater



25" landscape firebox **DFR2551L** | Logs **DFR2551G** | Acrylic Ice

26" x 185/8" x 71/2" (WxHxD) 66 cm x 47.3 cm x 19.1 cm 120 V | 1,500 W | 5,118 BTU

- **™** On-screen display
- **⊯**Inner glow logs
- **@** Color themes
- Multi-function remote



26" firebox with logs

27³/₈" x 23¹/₂" x 7¹/₄" (WxHxD) 69.5 cm x 59.7 cm x 18.4 cm 120 V | 1,500 W | 5,118 BTU

- 70 On-screen display
- **@** Color themes
- Multi-function remote



33" landscape firebox **DF3033ST** | Logs **DFG3033** | Glass

331/8"x 233/8" x 91/2" (WxHxD) 84.1 cm x 59.4 cm x 24.1 cm 120 V | 780 W | 2,660 BTU

- **Ember bed options**
- Thermostat-controlled heater

^{*} Based on national average residential electricity rate. Rates vary.



DF2608

26" firebox with logs 27³/₈" x 23¹/₂" x 9" (WxHxD) 69.5 cm x 59.7 cm x 22.7 cm 120 V | 1,400 W | 4,915 BTU

- make inner glow logs
- Authentic brick-look interior
- Adjustable flame speed and interior light controls



DF3015

30" firebox with logs 311/2"x 261/2" x 103/4" (WxHxD) 80.0 cm x 67.3 cm x 27.3 cm 120 V | 1,500 W | 5,120 BTU

- **⋈** Inner glow logs
- Authentic brick-look interior
- Adjustable flame speed and interior light controls
- Purifire® Air
 Treatment System



*Rear-loading design – see Owner's Manual for framing details.

DF3215

32" firebox with logs 361/2" x 291/4" x 13" (WxHxD) 92.7 cm x 74.3 cm x 33.0 cm 120 V | 1,500 W | 5,120 BTU

- **≥** Inner glow logs
- Authentic brick-look interior
- Adjustable flame speed and interior light controls
- Purifire® Air Treatment System
- Bi-fold doors and mesh screen



Built-in Firebox Features



Flame

A blend of technology, artistry and craftsmanship – the patented Dimplex flame technology creates the illusion of a true fire.



Supplemental Heat

Includes a powerful fan-forced heater designed to keep the rooms you spend the most time in warm and comfortable.



Direct-wire

Designed to be direct-wired to a 120 or 240 volt circuit for a seamless look. (Optional plug kit available).



Options

Door kits, trim kits and control options available.



Year-round Enjoyment

Enjoy the ambiance of the flame with or without heat for year-round enjoyment.



Economical

Economical to operate. Costing only pennies per hour.*



Purifire® Air Treatment System

Breathe easy with the world's first integral air filtering system.



Greer

The green alternative. No harmful particulates or emissions and 100% efficient.



Safe

Front glass stays cool, making it safe to touch.

Specialty Features



Remote

Includes a convenient remote control for ease of use at your fingertips.



Corner Convertible

Mantel converts from corner to flat-wall in seconds.

Built-in Fireboxes





Cabinet Options





Corner depth: 37" (94 cm)

BFSL-BMBLK | White and black cabinet Flat wall 50³/₄" x 45³/₄" x 11³/₄" (WxHxD) 128.9 cm x 116.0 cm x 29.8 cm

△ Corner convertible

Door Kits



BFSL33DOORSingle pane,
tamperproof glass.

33" Built-in Firebox



BF33DXP | 33" built-in firebox

32³/₄" x 28¹/₂" x 14¹/₄" (WxHxD) 83.2 cm x 73.5 cm x 36.2 cm

120 Volts | 1,440 Watts | 5,000 BTU 208 Volts | 2,100 Watts | 7,200 BTU 240 Volts | 2,700 Watts | 9,200 BTU

- Authentic brick-look interior
- **←** Direct wire
- **■** Operates with or without heat
- > Purifire® Air Treatment System
- make inner glow logs

Doors & Trim Kits

BFGLASS33BLK

33" tamperproof glass door

BFSDOOR33BLK

33" glass swing doors, black accents

BFDOOR33BLKSM

33" bi-fold look glass door

BF4TRIM33

4-piece trim kit, black

39" Built-in Fireboxes



BF39DXP | 39" built-in firebox

BF39STP | 39" built-in firebox without brick-look interior or inner glow logs

38³/₄" x 32³/₄" x 15¹/₄" (WxHxD) 98.4 cm x 83.2 cm x 38.7 cm

120 Volts | 1,440 Watts | 5,000 BTU 208 Volts | 2,100 Watts | 7,200 BTU 240 Volts | 2,700 Watts | 9,200 BTU

- Authentic brick-look interior
- **←** Direct wire
- **■** Operates with or without heat
- Purifire® Air Treatment System
- **≥** Inner glow logs

Doors & Trim Kits BFGLASS39BLK

39" tamperproof glass door

BFSDOOR39BLK

39" glass swing doors, black accents

BFDOOR39BLKSM

39" bi-fold look glass door

BF4TRIM39

4-piece trim kit, black





39" 2-sided Built-in Firebox



BF392SD | 39" 2-sided built-in firebox 383/4" x 33" x 22" (WxHxD)

98.4 cm x 83.8 cm x 55.9 cm 120 Volts | 1,440 Watts | 5,000 BTU

3 Stage remote

↓ Operates with or without heat

Doors & Trim Kits

BFGLASS39BLK

39" tamperproof glass door

BFDOOR39BLKSM

39" bi-fold look glass door

BF4TRIM39

4-piece trim kit, black

Door Kits



Tamperproof Glass Door

BFSL33DOOR | For BFSL33 BFGLASS33BLK | For BF33DXP BFGLASS39BLK | For BF39STP, BF39DXP, BF392SD

BFGLASS45BLK | For BF45DXP



Glass Bi-fold Look Door

BFDOOR33BLKSM | For BF33DXP **BFDOOR39BLKSM** | For BF39STP,

BF39DXP, BF392SD

BFDOOR45BLKSM | For BF45DXP



Swing Door

BFSDOOR33BLK | For BF33DXP **BFSDOOR39BLK** | For BF39STP, BF39DXP,

BF392SD

Trim Kit



Trim Kit

3" black surround trim, for use as 3-piece or 4-piece

BF4TRIM33 | For BF33DXP

BF4TRIM39 | For BF39STP, BF39DXP, BF392SD

BF4TRIM45 | For BF45DXP

Control Options



WRCPF-KIT Wall switch remote control kit



BFRC-KIT

3-stage remote control kit included with BFSL33 / BF392SD





Stoves

Celeste

TDS8515TC | Cream gloss finish 29³/₄" x 27" x 17¹/₂" (WxHxD) 75.6 cm x 68.6 cm x 44.5 cm 120 Volts | 1,550 Watts | 5,120 BTU

- † 3 Stage remote
- **SS** Operates with or without heat
- Built-in fan-forced heater
- Purifire® Air Treatment System









Mini Cube

DMCS13R | Red gloss finish 13" x 141/2" x 8" (WxHxD) 33.0 cm x 36.8 cm x 20.3 cm 120 Volts | 1,370 Watts | 4,674 BTU

Fireplace Inserts



DLG1058 | 27" open hearth insert 27" x 11" x 14-1/4" (WxHxD) 68.5 cm x 27.9 cm x 36.2 cm 120 Volts | 1,225 Watts | 4,181 BTU

- Operates with or without heat
- SS Built-in fan-forced heater
- Multi-function remote



DFI2309 | 23" standard fireplace insert 23¹/₄" x 19¹/₂"x 10³/₄" (WxHxD) 59 cm x 49.5 cm x 27.3 cm 120 Volts | 1,375 Watts | 4,695 BTU Available with expandable trim kit DFI23TRIMX

- **I** Operates with or without heat
- M Built-in fan-forced heater
- On/off remote



DFI2310 | 23" deluxe fireplace insert 23¹/₄" x 19¹/₂" x 10³/₄" (WxHxD) 59 cm x 49.5 cm x 27.3 cm 120 Volts | 1,375 Watts | 4,695 BTU Available with expandable trim kit DFI23TRIMX

miner glow logs

- Operates with or without heat
- **Solution** Built-in fan-forced heater
- On/off remote



Your authorized Dimplex dealer:

For more information on product specifications, please visit dimplex.com

Dimplex

Dimplex North America Limited

1367 Industrial Road | Cambridge | ON N1R 7G8 Telephone: 1-888-DIMPLEX | Fax: 1-800-668-6665 Visit us online at: www.dimplex.com









